

IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims

1 – 19. (Canceled)

20. (Currently amended) A method for relieving pain associated with an intervertebral disc having a nucleus pulposus and an annulus fibrosus surrounding the nucleus pulposus, comprising the steps of:

introducing a thermal transmitting element of a thermal probe into mid to outer layers of the annulus fibrosus of the intervertebral disc, the thermal probe defining proximal and distal ends and having a guidable region adjacent the distal end thereof, the guidable region characterized by having sufficient rigidity to advance within the mid to outer layers of the annulus fibrosus of the intervertebral disc in response to an axial force exerted on the proximal end of the thermal probe while having sufficient flexibility to substantially follow and conform to an azimuthal course defined by the natural striata of the mid to outer layers of the annulus fibrosus;

advancing the thermal transmitting element of the thermal probe within the mid to outer layers of the annulus fibrosus; and

supplying thermal energy from a thermal energy source to the thermal transmitting element to heat the mid to outer layers of the annulus fibrosus adjacent the transmitting element sufficiently to relieve pain associated with the intervertebral disc.

21. (Currently amended) The method according to claim 20 wherein the thermal probe includes a flexible probe portion, whereby the flexible probe portion follows a generally arcuate path within the mid to outer layers of the annulus fibrosus.

22. (Currently amended) The method according to claim 21 wherein the step of advancing the thermal transmitting element of the thermal probe includes passing the flexible probe portion generally along an arcuate path defined by natural striata of the mid to outer layers of the annulus fibrosus.

23. (Currently amended) The method according to claim 20 wherein the step of advancing includes positioning the thermal transmitting element adjacent at least one of a posterior section, lateral section and posterior-lateral section of the mid to outer layers of the annulus fibrosus.

24. (Currently amended) The method according to claim 23, including the step of accessing the mid to outer layers of the annulus fibrosus from a posterior-lateral section of the intervertebral disc.

25. (Currently amended) The method according to claim 20 further including the step of positioning a cannula adjacent the intervertebral disc and passing the thermal probe through a lumen of the cannula into the mid to outer layers of the annulus fibrosus.

26. (Currently amended) The method according to claim 25 wherein the cannula includes an arcuate portion adjacent a distal end thereof and wherein, during the step of

advancing the thermal probe, the arcuate cannula portion guides the flexible probe portion along the path through the mid to outer layers of the annulus fibrosus.

27. (Currently amended) The method according to claim 26 wherein the step of positioning includes at least partially introducing the distal end of the cannula into the mid to outer layers of the annulus fibrosus.

28. (Currently amended) The method according to claim 27 further including the step of angulating the arcuate portion to a desired orientation within the mid to outer layers of the annulus fibrosus.

29. (Currently amended) The method according to claim 20 further including the step of monitoring impedance of tissue to detect variations in tissue-type to thereby facilitate positioning of the thermal transmitting element in the mid to outer layers of the [annular] annulus fibrosus.

30. (Previously presented) The method according to claim 20 further including the step of monitoring the position of at least the thermal transmitting element with imaging means.

31. (Currently amended) A method for relieving pain associated with an intervertebral disc, the intervertebral disc having a disc nucleus and an annulus fibrosus surrounding the disc nucleus, the method comprising the steps of:

accessing an intervertebral disc with a cannula;

advancing a thermal probe having a heat transmitting region through the cannula into the intervertebral disc and within mid to outer layers of the annulus fibrosus to position the heat transmitting region of the thermal probe in at least one of posterior, lateral and posterior-lateral areas of the mid to outer layers of the annulus fibrosus, the thermal probe defining proximal and distal ends and having a guidable region adjacent the distal end thereof, the guidable region characterized by having sufficient rigidity to advance within the mid to outer layers of the annulus fibrosus of the intervertebral disc in response to an axial force exerted on the proximal end of the thermal probe while having sufficient flexibility to substantially follow and conform to an azimuthal course defined by the natural striata of the mid to outer layers of the annulus fibrosus; and

supplying thermal energy from a thermal energy source to the heat transmitting region to heat the at least one area to treat pain associated with the intervertebral disc.

32. (Currently amended) The method according to claim 31 wherein the step of accessing includes advancing a distal end of the cannula through the intervertebral disc to position the distal end within the mid to outer layers of the annulus fibrosus.

33. (Currently amended) The method according to claim 32 wherein the cannula includes an arcuate portion adjacent the distal end thereof and further including the step of manipulating the arcuate portion to a desired orientation with respect to the mid to outer layers of the annulus fibrosus.

34. (Previously presented) The method according to claim 33 wherein the heat transmitting region of the thermal probe is substantially flexible and wherein during the step of advancing, the heat transmitting region bends within the arcuate portion of the cannula.

35. (Previously presented) The method according to claim 32 wherein the cannula includes impedance means and wherein the step of accessing includes monitoring impedance of tissue to ascertain a location of the distal end of the cannula in relation to the intervertebral disc.

36. (Previously presented) The method according to claim 35 wherein the step of monitoring impedance of tissue further includes monitoring a plurality of impedance interfaces including the tissue and a cortex of the intervertebral disc, the cortex and the annulus fibrosus of the intervertebral disc, and the annulus fibrosus and the disc nucleus of the intervertebral disc.